

# PYRETHRIN GARDEN INSECT SPRAY CONCENTRATE

- CONTAINS PYRETHRINS, A BOTANICAL INSECTICIDE
- USE UP TO DAY OF HARVEST
- FOR USE ON VEGETABLES, FRUITS, ROSES,  
FLOWERS AND ORNAMENTALS
- CAN BE USED ON DELICATE ORNAMENTALS
- PROTECTS YOUR WHOLE GARDEN FROM DAMAGING  
INSECTS!

Store and transport in an upright position.  
EPA Est. No. 4-NY-1 EPA Reg. No. 4-371  
Buyers Guarantee Limited to Label Claims.  
©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, lawns and grounds.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. To control insects named on the plants listed below, use 7.5 to 15 fluid ounces of concentrate in 5 gallons of water or 3 to 5 tablespoons per 1 gallon. (1 tablespoon per quart of water.) Apply to insure thorough coverage of upper and lower leaf surfaces. Use caution on new growth and tender foliage.

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

<b>CROP</b>	<b>TO CONTROL</b>
Asparagus	Asparagus Beetle
Beans	Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, Whitefly, Mexican Bean Beetle
Broccoli, Cabbage, Brussels Sprouts, Cauliflower	Aphids, Cabbage Looper, Cross-Striped Cabbageworm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug
Celery	Green Peach Aphid, Leafminer, Cabbage Looper
Cranberries	Fireworms, Leafhopper
Eggplants	Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid
Lettuce	Cabbage Looper, Green Peach Aphid, Diamond-back Moth Larvae, Imported Cabbageworm

CROP	TO CONTROL
Mustard Greens, Kale, Collards, Turnips	Imported Cabbageworm, Diamondback Caterpillar, Aphids, Cabbage Looper
Peppers	Green Peach Aphid
Potatoes	Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers
Radish	Aphids, Flea Beetle
Spinach	Aphids, Cabbage Looper, Webworm
Tomatoes	Green Peach Aphid, Stink Bug, Colorado Potato Beetle, Flea Beetle
Ornamentals (African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jew, etc.)	Aphids, Flea Beetle, Leafhopper

### STORAGE AND DISPOSAL

**Pesticide Storage:** Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

**Pesticide Disposal:** *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Container Disposal:** *If empty* – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

**If on Skin or Clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

### FIRST AID Cont.

<b>If Inhaled:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li><li>• Call a <u>poison control center or doctor for further treatment advice.</u></li></ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a <u>poison control center or doctor for treatment advice.</u></li></ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Do not give any liquid to the person.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• <u>Do not give anything by mouth to an unconscious person.</u></li></ul>

**NOTE TO PHYSICIAN:** Contains petroleum distillate – vomiting may cause aspiration pneumonia.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through the skin or inhaled. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.